

YERMOLENKO, N.F.; EFROS, M.D.

Structure and sorptive properties of $\text{NiO} - \text{Al}_2\text{O}_3$ oxides from
oxychloride. Zhur. fiz. khim. 38 no.5:1353-1358 My '64.
(MIRA 18:12)

1. Institut obshchey i neorganicheskoy khimii AN BSSR.
Submitted July 12, 1963.

EFROS, M. M.

The conversion of industrial furnaces from liquid to solid and gas fuel.
Moskva, Izd-vo Akademii nauk SSSR, 1946. 103 p. (50-20464)

TN677.E23

EFROS, M. M.

PA 43/49T46

Oct 48

USSR/Engineering
Furnaces
Heating

"Methods of Introducing Automatic Heating Processes
in Industrial Furnaces in the Postwar Five-Year
Plan," M. M. Efros, Engr, 2 pp

"Za Ekonomiyu Topliva" Vol V, No 10

Great progress has been made in making heat processes automatic in open-hearth furnaces, but like process for other furnaces has lagged somewhat. Heat processes are fuel combustion and temperature regulation in the furnaces. Discusses diverse viewpoints on method of making them automatic.

43/49T46

EFROS, M. M.

PA 16/49¹56

USSR/Engineering
Furnaces
Fuel Consumption

Jul 45

"Results of the All-Union Scientific Technical
Session on Industrial Furnaces," M. M. Efros,
Engr, 1 3/4 pp

"Za Ekonomiyu Topliva" No 7

Summarizes proceedings at conference. Main prob-
lems were further development of furnaces, fuel
economy, and replacement of liquid by local fuel.

16/49¹56

EFROS, M.M.

F

5400. UTILIZATION OF HEAT OF FUEL GASES FROM BOILING LITRE AND HEAT
TREATMENT FURNACE. Efros, H.R. (25 Zhuk. Volilva (Fuel Econ.), Oct. 1954,
13-17). (L).

NTROS, M. H.

"Investigation of the Pulverization and Combustion of Wood
by Low Pressure Burners Suitable for Metal Heating Purposes."
Cand Tech Sci, Moscow Order of Labor Red Banner Inst of Steel and I.
V. Stalin, Min Higher Education USSR, Moscow, 1955. (KL, No 12,
Mar 55)

SO: Sum. No. 670, 29 Sep 55-Survey of Scientific and Technical Dis-
sertations Defended at USSR Higher Educational Institutions (15)

EFROS, M.M.

137-58-3-5093

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 3, p 90 (USSR)

AUTHORS: Efros, M. M., Zarkhin, S. M.

TITLE: Improving the Heating Systems in Forge Shops of Leningrad Plants (Uovershenstvovaniye nagrevatel'nykh ustroystv kuznechnykh tsekhov leningradskikh zavodov)

PERIODICAL: V sb.: Kuznechno-shtampovochn. proiz-vo. Leningrad, Lenizdat, 1957, pp 51-61

ABSTRACT: Electrical and flame heating systems are examined. The authors point out the advantages of a uniform and continuous supply of fuel by automatic underfeed stokers. A stoker of this type ensures a steady output of heat and eliminates the need for the heavy menial operations of charging, rabbling, and cleaning. A description of a "thermoblock"-type recuperator for a forging compartment furnace employed for preheating of air and gas is given, together with operational diagrams. It is pointed out that the resistance method is highly efficient for the heating of 6-7 m long rods employed in the winding of springs.

Card 1/1

P.S.

EFROS, M.M.

p. 3

PHASE I BOOK EXPLOITATION 1053

Voprosy aerodinamiki i teploperedachi v kotel'no-topochnykh protsessakh; sbornik statey (Aerodynamic and Heat Transfer Problems in Boiler and Furnace Processes; A Collection of Articles) Moscow, Gosenergoizdat, 1958. 329 p. 6,000 copies printed.

Ed. (title page): Knorre, G.F.; Ed. (inside book): Borishanskiy, V.M.; Tech. Ed.: Zabrodina, A.A.

PURPOSE: The book is intended for engineers and combustion specialists concerned with the design and operation of heating equipment and it is also for scientific workers and students of vtuzes.

COVERAGE: The book presents the results of complex investigations of flow conditions and heat transfer in boiler and furnace processes. The compilation consists of three parts which discuss the conditions of atomization and combustion of liquid fuel, some problems of heat transfer and flow in furnaces and boilers and, finally, the results of investigations of the flow and heat transfer in a

Card 1/7

Aerodynamic and Heat Transfer (Cont.) 1053

layer of crushed material. The articles in the first part present the fundamental principles for calculating the atomization process in injectors. Also, new data on the combustion of droplets of heavy liquid fuel are given which make it necessary to reconsider the accepted concept that vaporization of a liquid fuel always precedes its combustion. The reports of the second part throw light on the problem of the motion of a dusty air stream characteristic of cyclonic furnaces. This problem is extremely important in the design of such furnaces. The second part of the collection presents data necessary for the calculation of the emission of fly ash whereby it is shown that this emission is of great significance. In addition, the character of furnace temperature fields is analyzed. The articles of the third part present the fundamental laws of gas flow through a layer of fuel and give the theoretical principles necessary for calculating the aerodynamic resistance of the layer and the speed of drying in it. The data given in the collection accurately define current ideas regarding the characteristics of development of a number of phenomena which form the

Card 2/7

Aerodynamic and Heat Transfer (Cont.) 1053

heating process. Knowledge of these data will permit refining the calculation methods used in heating technology. The first part contains 2 Soviet references; the second part contains 8 Soviet, 3 English, and 1 German reference; and the third part contains 49 Soviet, 12 English, 7 German, 1 French, and 2 Japanese references.

TABLE OF CONTENTS:

FIRST PART. INVESTIGATION OF LIQUID FUEL ATOMIZATION AND COMBUSTION

| | |
|--|----|
| Vitman, L.A., Katsnel'son, B.D., Efros, M.M. Atomization of Liquid Fuel by Pneumatic Injectors | 5 |
| Vitman, L.A. Some Principles Regarding the Atomization of a Liquid by Pneumatic Injectors | 34 |

Card 3/7

| | |
|--|------|
| Aerodynamic and Heat Transfer (Cont.) | 1053 |
| Blokh, A.G., Kichkina, Ye.S. Atomization of a Liquid Fuel by Mechanical Centrifugal-type Injectors | 48 |
| Paleyev, I.I., Agafonova, F.A. Investigation of the Combustion of Droplets of a Liquid Fuel | 57 |
| References | 80 |
| SECOND PART. INVESTIGATION OF THE AERODYNAMICS AND HEAT TRANSFER IN MATTER IN SUSPENSION | |
| Vulis, L.A. Turbulent Transfer of Heat and Matter in a Jet Flow of a Gas | 81 |
| Ivanov, Yu.V., Katsnel'son, B.D., Pavlov, V.A. Aerodynamics of the Vortex Chamber | 100 |
| Lyakhovskiy, D.N. Investigation of the Aerodynamics of the Cyclic Chamber | 114 |
| Card 4/7 | |

| | |
|---|------|
| Aerodynamic and Heat Transfer (Cont.) | 1053 |
| Nakhapetyan, Ye.A. Investigation of Isothermal Cyclonic Flow in a Model Furnace Chamber | 150 |
| Basina, I.P., Tonkonogiy, A.V. On the Combustion and Separation of Fuel Particles in a Cyclonic Furnace | 166 |
| Vulis, L.A., Ustimenko, B.P. On the Aerodynamics of the Cyclonic Furnace Chamber | 176 |
| Gurvich, A.M., Blokh, A.G., Nosovitskiy, A.I. Radiation in the Gas Passages of Boilers | 188 |
| Gurvich, A.M., Blokh, A.G. On the Calculation of Heat Transfer in Furnaces | 224 |
| References | 240 |

Card 5/7

Aerodynamic and Heat Transfer (Cont.) 1053

THIRD PART. INVESTIGATION OF AERODYNAMICS AND TRANSFER IN FILLED
CROSS SECTIONS (LOOSE AND CLUSTERED MATERIAL)

- Lev, Ye.S. Filtration of a Gas Through a Layer of Free-flowing
Material (State of the Problem) 241
- Bernshteyn, R.S., Pomerantsev, V.V., Shagalova, S.L. On the Me-
chanism of Resistance and Heat Loss in Clusters of Pipes 251
- Bernshteyn, R.S., Pomerantsev, V.V., Shagalova, S.L. Generalized
Calculation Method for Aerodynamic Resistance of Filled Cross
Sections 267
- Borishanskiy, V.M. Resistance During the Movement of Air Through
a Layer of Spheres 290
- Lev, Ye.S. Aerodynamic Resistance of a Layer of Crushed Material 298

Card 6/7

| | | |
|---|------|-----|
| Aerodynamic and Heat Transfer (Cont.) | 1053 | |
| Kichkina, Ye.S. Drying of a Layer of Crushed Material | | 312 |
| Firsova, E.V. Coefficients Characterizing the Drying of Individual Wood Specimens | | 324 |
| References | | 328 |
| AVAILABLE: Library of Congress | | |

IS/mfd
2-6-59

Card 7/7

EFROS, M.M.

Investigating and selecting gas burners for industrial furnaces.
Gaz.prom. 4 no.5:26-33 My '59. (MIRA 12:7)
(Gas burners)

EFROS, M.M.

Conversion of industrial units from fuel oil to high heating
value gas. Gas.prom. 4 no.10:30-34 0 '59. (MIRA 13:2)
(Gas burners) (Gas as fuel)

XFROS, M.M.

Investigation of gas burners operating on natural gas in industrial
furnaces. Trudy VNIIT no.9:134-156 '60. (MIRA 13:11)
(Gas burners)

EFROS, M.M.

Scientific and Technological Conference on the Efficient Use of
Natural Gas in Industrial Furnaces and Driers. Gas.prom. 5 no.11:50-
51 N '60. (MIRA 13:11)

(Gas as fuel--Congresses)

EFROS, M. D.

PHASE I BOOK EXPLOITATION SOV/5458

25

Girshovich, Naum Grigor'yevich, Doctor of Technical Sciences, Professor, ed.

Spravochnik po chugunnomu lit'yu (Handbook on Iron Castings) 2d ed., rev. and enl. Moscow, Mashgiz, 1961. 800 p. Errata slip inserted. 16,000 copies printed.

Reviewer: P. P. Berg, Doctor of Technical Sciences, Professor; Ed.: I. A. Baranov, Engineer; Ed. of Publishing House: T. L. Leykina; Tech. Eds.: O. V. Speranskaya and P. S. Frumkin; Managing Ed. for Literature on Machine-Building Technology (Leningrad Department, Mashgiz): Ye. P. Naumov, Engineer.

PURPOSE: This handbook is intended for technical personnel at cast-iron foundries. It may also be of use to skilled workmen in foundries and students specializing in founding.

COVERAGE: The handbook contains information on basic problems in the modern manufacture of iron castings. The following are discussed: the composition and properties of the metal; the making of molds; special casting methods; the charge preparation; melting
~~Card 1/1~~

Handbook on Iron Castings

SOV/5458

and modifying the cast iron; pouring, shaking out, and cleaning of castings; heat-treatment methods; and the inspection and rejection of castings. Information on foundry equipment and on the mechanization of castings production is also presented. The authors thank Professor P. P. Berg, Doctor of Technical Sciences, and staff members of the Mosstankolit Plant, headed by the chief metallurgist G. I. Kletskin, Candidate of Technical Sciences, for their assistance. References follow each chapter. There are 287 references, mostly Soviet.

TABLE OF CONTENTS:

| | |
|--|----|
| Foreword [N. G. Girshovich] | 3 |
| Ch. I. Composition and Properties of Cast Iron (N. G. Girshovich) | 5 |
| 1. Equilibrium diagram, classification, and the structure of cast iron | 5 |
| 2. Effect of various factors on the structure of cast iron | 15 |

Card 2/11

Handbook on Iron Castings

SOV/5458

| | |
|--|-----|
| Ch. IX. Defects in Castings and Their Prevention | 697 |
| 1. Classification of defects in castings and methods of their prevention and detection (Ye. B. Immerman) | 697 |
| 2. Removal of casting defects by welding (T. N. Dubova) | 722 |
| 3. Other methods of removing defects from castings (Ye. B. Immerman) | 755 |
| 4. Safety measures (T. N. Dubova) | 759 |
| Bibliography | 759 |
| Appendix 1. Utilization of Natural Gas (M. M. Efros) | 760 |
| Appendix 2. Utilization of Radioactive and Stable Isotopes (I. M. Lyubarskiy and A. P. Lyubchenko) | 766 |
| Appendix 3. Utilization of Ultrasonics (I. M. Lyubarskiy and A. P. Lyubchenko) | 776 |

Card 10/11

EFROS, M. M.; GUSAROV, Ye. I.; YUNISOVA, S. A.; Prinimal uchastiye:
KORNIYENKO, V. A.

Investigating the operation of plant furnaces converted to gas
using a low-pressure jet. Trudy VNIIT no. 11:218-244 '62.
(MIRA 17:5)

EFROS, M.M. ~~For~~

New furnaces for the nonoxidizing heating of steel and the results
of their investigation. Kuz.-shtam.proizv. 5 no.8:33-37 Ag '63.
(MIRA 16:9)

EFROS, M.M.

New single-chamber furnace for the nonoxidation heating
of steel in an open flame. Trudy VNIIT no.12:156-167 '63.
(MIRA 18:11)

EFROS, M.M.; EYKHE, N.G.

Gas cupola furnace of the All-Union Scientific Research
Institute for Fuel and the results of its investigation.
Trudy VNIIT no.12:141-155 '63. (MIRA 18:11)

EFROS, M.M.; OVCHINNIKOVA, A.Ya.

Using high-energy gas to sublimate zinc in a rotary furnace.
Trudy VNIIT no.12:130-140 '63. (MIRA 18711)

EFROS, M.M.

Brief news. Gaz. prom. 9 no.4:55-56 '64.

(MIRA 17:8)

EFROS, M.M.; OVCHINNIKOVA, A.Ya.

Substituting gas for coke in the processing kilns of chemical
plants. Gaz.delo no.1:28-30 '64. (MIRA 17:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut po pererabotke i
ispol'zovaniyu topliva.

EFROS, M.M.

Flameless panel burners with a double mixer. Mash. i neft, sbor. no.12:
13-15 '64. (MIRA 18:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut po pererabotke i
ispol'zovaniyu topliva.

EFROS, M.M.; BRUK, Yu.G.; YUNISOVA, S.A.; SOKOLOV, S.L.

Investigating an industrial-test furnace for nonoxidative heating
in the Leningrad Metallurgical Plant named for the 22d Congress of
the C.P.S.U. Trudy VNIIT no.13:109-120 '64.

(MIRA 18:2)

EFROS, M.M.; GUSAROV, Ye.I.

Experimental furnace for decontaminating waste waters by
incineration. Trudy VNIIT no.13:121-126 '64.
(MIRA 18:2)

MAYZEL', Boris Isaakovich; OKUN', Boris Tsalerovich CHEPENKO,
Nata Konstantinovna; EFROS, M.M., red.

[Use of the combustion products of natural gas in convec-
tion drying chambers for drying protective paint coatings]
Konveksionnye sushil'nye kamery s ispol'zovaniem produktov
sgoraniya prirodnogo gaza dlia susenki lakokrasochnykh po-
krytiy. Leningrad, 1965. 25 p. (MIRA 18:7)

EFROS, Miron Moiseyevich; LIFSHITS, A.Ye., retsenzent; LEBEDEV,
N.D., red.

[Heating and heat-treating gas-operated furnaces] Nagre-
vatel'nye i termicheskie pechi na gazovom toplive. Mo-
skva, Metallurgiya, 1965 p. 415 p. (MIRA 18:2)

EFROS, P.S. (Tashkent)

Towerless system of water supply. Vod. i san. tekhn. no.5:13-15
My '61. (MIRA 14:6)

(Water-supply engineering)

EFROS, R.D., aspirant; SADOV, F.I., prof.

Simultaneous dyeing with dichlorotriazine dyes and finishing
with synthetic resins. Tekst. prom. 25 no.4:45-48 Ap '65.
(MIRA 18:5)

1. Moskovskiy tekstil'nyy institut.

EFROS, R.D., aspirant; SADOV, F.I., prof.

Alkali and acid hydrolysis of the coloring obtained by the method
of simultaneous dyeing and finishing. Tekst. prom. 25 no. 8:56-58
Ag '65. (MIRA 18:9)

1. Moskovskiy tekstil'nyy institut.

USSR/Chemistry (Pharmaceutical),

Medicine - Rutin

Jan/Feb 52

"Extraction of Rutin From Buckwheat Grass," A. M. Kholostsky, R. S. Efros, Leningrad Chemico-pharm Inst

"Aptechnoye Delo" No 1, pp 38-41

Buckwheat planted experimentally in Leningrad and the Leningrad Oblast (where 2 crops per year can be harvested) was used. Investigation showed that the best solvent for extraction is 70° alc. The greatest amt of rutin (2.16-2.57%) is contained in the leaves and flowers, the smallest in the

USSR/Chemistry (Pharmaceutical),

Medicine - Rutin (Contd)

Jan/Feb 52

stems (0.2%). If water is used for extraction, an excessive amt of alc (13.25 kg per kg crude plant material) is required for purg impurities. Use of chloroform for defatting of crude rutin, distillation without vacuum of alc from extracts do not diminish yield of glucoside (rutin).

20715

RAKHMANOVA, L.A.; ROBACHEVSKAYA, Ye.G.; FEL', V.Ya.; EFROS, S.A.

Morphology of experimental streptococcal infection with a primary
intradermal focus in rabbits. Biul. eksp. biol. i med. 50 no.7:
107-111 JI '60. (MIRA 4:5)

1. Iz kafedry patologicheskoy anatomii (zav. - chlen-korrespondent
AMN SSSR prof. V.D.Tsinzerling [deceased]) Leningradskogo sanitarno-
gigiyenicheskogo meditsinskogo instituta (dir. - prof. A.Ya. Ivanov).
Predstavlena akademikom N.N.Anichkovym.
(STREPTOCOCCAL INFECTIONS) (SKIN--DISEASES)

EFROS S.M.

A new color test for ketones. S. M. Jilka; *Indy LKA 71* 1930, No. 7, 123-6; *Khim. Referat. Zhur.* 2, No. 8, 65 (1933).—A soln. of $K_4Fe(CN)_6$ with NH_4 molybdate gives a brown color with certain ketones. The sensitivity of the test with acetylacetone is about 1.6 γ cc soln. for dipropyl ketone 116 γ cc. Other ketones give unstable or very slight colorations. The test is useful for detg. acetylacetone in the presence of other ketones.

W. W. Henn

ASME-ISA METALLURGICAL LITERATURE CLASSIFICATION

EFROS, S. M.

USSR/Chemistry - Analysis

Dec 50

"New Color Reaction for Detection of Cadmium Ion,"
S. M. Efros, Leningrad Tech Inst imeni Lensovet

"Zavod Lab" No 12, pp 1428, 1429

Reaction based on formation of raspberry-colored ppt
from mixt of ammonium complexes of Cu and Cd under
action of potassium cyanide in presence of ammonium
oxalate. Reaction permits detection of 20 γ Cd/ml/
soln and may be used also for detection of Cu ion.
Sensitivity for Cu is 0.2 γ /ml.

182T5

Bichromate method for the analysis of cations of I, II, and III groups. S. M. Etkin and N. Z. Golyenko. *Trudy Leningrad. Tekhnol. Inst. im. Lomonosova* 1933, No. 87, 78-102; *Referat. Zhur., Khim.* 1934, No. 25720. — The semimicro method for the sepn. of cations of group II and III is based on the difference in the soly. of the chromates.

M. Hosh...

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010012-0

E. FROS, J. IV.

APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010012-0"

EFROS, S.M.

USSR.

~~SECRET~~

1908. The use of a mixture of 2-hydroxy-quinoline hydrochloride and potassium iodide for the detection of antimony in the presence of tin. S. M. Efros (*Izv. Leningr. Tekhn. In-ta*, 1953, [27], 110-118; *Referativnyi Zh. Khim.*, 1954, Abstr. No. 20,318).—A soln. of orme and KI in 6 to 7 N HCl gives a ppt. (probably $C_8H_6ON.HSbI_4$) with Sb^{III} ; the ppt. dissolves in water on heating. Sb^{III} or Sb^{IV} do not interfere. The reagent may be used to detect Sb^{IV} ; the KI reduces Sb^{IV} to Sb^{III} and the liberated iodine is removed by the addition of $SnCl_2$ or Na_2SO_3 ; AsO_4^{3-} does not interfere if present. The minimum amount of Sb detected is 2 μ g. Cations of the analytical group 4 must be removed before the test is carried out. E. HAYES

Handwritten initials

USSR.

Microdetection of bismuth ions with 8-quinolinol (oxine) and potassium iodide. S. M. Efrem, Z. I. Khelseta, and N. Z. Golynko. *Trudy Leningrad. Tekhnol. Inst. im. Leningra* No. 27, 119-20 (1953); *Referat. Zhur., Khim.* 1954, No. 20319.—The detection of Bi^{+++} by oxine and KI is interfered with by Fe^{+++} and Cu^{++} and other oxidizing agents which liberate I from KI. To remove this interference, oxidizing agents are reduced with $\text{Na}_2\text{S}_2\text{O}_3$ or SnCl_2 . Five procedures are described for detecting Bi^{+++} , including a drop method and a titration method.

M. Hesch

MAJ RCH

USSR .

✓ Use of hydrochloric solution of 8-quinolinol (oxine) for semimicro-gravimetric determination of aluminum. S. M. Boris and N. Z. Golynko. *Trudy Leningrad. Tekhnich. Inst. im. Leninskogo* 1953, No. 27, 120-33; *Referat. Zhur., Khim.* 1954, No. 25757. —The use of 8-quinolinol soln. in HCl instead of in alc. or AcOH gives accurate and reproducible results in detn. of Al and decreases the amt. of NaOAc needed for adjusting the pH. To 1-2 ml. of soln. (4-8 mg. Al) add 9 ml. of reagent (2 g. 8-quinolinol in 4 ml. concd. HCl), and H₂O make 100 ml.; the mixt. is heated to 60-8° on a water-bath, to it is added approx. 1.5 ml. 2N NaOAc, the whole is kept for 5 min. on the bath until the ppt. crystallizes, and then 3.5 ml. reagent is added to raise the pH and lower the soly. of the ppt. After 10-15 min. the ppt. is filtered by suction, washed with small aliquots of hot water until free from Cl, and dried at 125-30° to const. wt.

M. Horsch

EFROS, S. M.

USSR .

✓ Rapid semimicro-gravimetric determination of barium ion
 without altering the precipitate. S. M. Efros and N. Z.
 Golynko. *Trudy Leningrad. Tekhn. Inst. im. Leninskogo*
 1953, No. 27, 134-6; *Referat. Zhur., Khim.* 1954, No.
 25755; cf. *C.A.* 49, 3731f. — To 3-5 ml. of soln. contg. Ba^{++}
 in a centrifuge test tube add 2 drops of 6N H_2SO_4 , 2-3 ml.
 H_2O , and heat the whole on a steam bath for 3-5 min. add-
 ing, meanwhile, dropwise hot 2N H_2SO_4 until no. more ppt.
 forms. Then add 5-7 more drops H_2SO_4 and keep the test
 tube in the bath for 30-40 min. After centrifuging, draw
 off the supernatant liquid by suction, wash the ppt. 2-3 times
 with 1-2 ml. of wash soln. (1-2 drops 6N H_2SO_4 per 10 ml.
 H_2O), 1-2 times with 1 ml. cold H_2O , and twice with 5 ml.
 EtOH. Dry the test tube and ppt. to const. wt. at 130-
 40°. M. Hosh

AS 1/24

Efros, S. M.

15-57-7-9490

, Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 7,
p 109 (USSR)

AUTHORS: Efros, S. M., Bilik, O. Ya.

TITLE: Verification of the Sintering Method for Decomposition
of a Silicate (Proverka metoda spekaniya dlya razlo-
zheniya silikata)

PERIODICAL: Sb. stud. rabot. Leningr. tekhnol. in-t im. Lensoveta
Leningrad, 1956.

ABSTRACT: A ground sample of the material to be investigated was
prepared with a five-fold quantity of the mixture
according to Yu. S. Lyashenkov, V. I. Sakunov, and
N. S. Tkachenko /Analiya (?) zheleznykh i margantsovykh
rud. Metallurgizdat, 1954 (Analysis of Iron and Mangan-
ese Ores. State Scientific and Technical Publishing
House for Literature on Ferrous and Nonferrous Metal-
lurgy, 1954) and carefully placed in a porcelain
crucible. The mixture from the crucible was transferred
to a sheet of tissue paper (7 cm by 7 cm), made into a

Card 1/2

15-57-7-9490

'Verification of the Sintering Method for Decomposition (Cont.)

small package, and placed in the porcelain crucible on top of a lining of filter paper. The package should not touch the sides or bottom of the crucible to avoid adhesion of the mixture. The sintering was done at 800° to 900° in a muffle furnace for 10 to 15 minutes. The sintered mass was transferred to a 100-ml beaker. Twenty-five milliliters of water were added and then HCl in small portions (sp. gr. 1.18 to 1.19). After each addition of HCl, the beaker was covered by a watch glass. The solution was evaporated to a small volume in a sand bath for 1 to 1.5 hours (the solution remained clear during this time). It was then cooled to 50°. Seven milliliters of HCl (1.18 to 1.19) and one milliliter of one percent gelatin solution were added and the whole stirred. After this, 2 ml more of gelatin was added, and the mixture again stirred. Then this material was diluted by 50 ml of hot water and filtered through filter paper. The sediment on the filter was washed in hot water until there was a negative reaction to chlorine ions and it was then roasted.

Card 2/2

K. N. Ryabicheva

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010012-0

APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010012-0"

Efros, S. M.

USSR/ Analytical Chemistry - Analysis of Inorganic Substances

G-2

Abs Jour : Referat Zhur - Khimiya, No 4, 1957, 12108

Author : Efros S.M.

Inst : Leningrad Technological Institute imeni Lensoviet

Title : Semi-Microgravimetric Determination of Sulfur in Pyrite by Centrifugation

Orig Pub : Tr. Leningr. tekhnol. in-ta im. Lensoveta, 1956, No 35, 86-90

Abstract : On gravimetric determination of S in pyrite by the gravimetric method as BaSO_4 , oxidation of S to SO_4^{2-} is effected with liquid bromine in the presence of CCl_4 and HNO_3 , while reduction of Fe^{3+} to Fe^{2+} is effected with ascorbic acid. Weighed sample of finely ground pyrite is placed in a 100 ml beaker, treated with 5 ml of a mixture of liquid bromine (2 ml) and CCl_4 (3 ml), left in the hood for 10 minutes, stirring at intervals, then 5 ml concentrated HNO_3 are added and after 10 minutes the beaker is transferred to a water bath and heated until the

Card 1/3

USSR/ Analytical Chemistry - Analysis of Inorganic Substances

G-2

Abs Jour : Referat Zhur - Khimiya, No 4, 1957, 12108

reaction is completed and most Br_2 has been removed; contents of the beaker are evaporated to dryness, residue mixed with 1 ml concentrated HCl , again evaporated to dryness; residue is left on the bath for 10 minutes and is then moistened with 1 ml concentrated HCl . After 15 minutes 5 ml of hot H_2O are added, the solution is filtered into a 100 ml measuring flask, the beaker is rinsed with water and the filtrate is brought up to the mark. An aliquot portion of the solution (5 ml) is placed into a weighed centrifugation tube, heated to $60-70^\circ$, and a 1% solution of ascorbic acid is added dropwise until the solution is decolorized, after which 2-3 drops more are added. Contents of the tube are heated to $80-90^\circ$, and 0.5 N BaCl_2 ($90-95^\circ$) is added dropwise, to precipitate all BaSO_4 , after which 4-5 drops more are added. The tube containing the precipitate is left on a boiling water bath for 30 minutes, cooled and centrifugated. The liquid is poured off, or removed

Card 2/3

USSR/ Analytical Chemistry - Analysis of Inorganic Substances

G-2

Abs Jour : Referat Zhur - Khimiya, No 4, 1957, 12108

by suction, the precipitate is washed 2-3 times with cold water (using 0.5-1 ml each time), centrifugated, the liquid is poured off or removed by suction, thoroughness of washing is checked by means of a negative reaction for Cl^- , and thereafter the precipitate is washed twice with $\text{C}_2\text{H}_5\text{OH}$ (1-2 ml each time). Tube with precipitate is placed in a thermostat and dried for 10 minutes, first at 80° and then at $130-140^\circ$, allowed to cool in a desiccator, and weighed. Results of analysis are reproducible; performance of the second part of the analysis (precipitation of BaSO_4 and subsequent operations) requires 2 hours. See also RZhKhim, 1954, 25755.

Card 3/3

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010012-0

4517 A commentary of

APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010012-0"

EFROS, S.M.; BOYCHINOVA, Ye.S.; CHUPRIK, V.F.

Vanadatometric determination of barium ions. Trudy LTI no.48:
165-168 '58. (MIRA 15:4)
(Barium--Analysis)

EFROS, S.M.; BOYCHINOVA, Ye.S.; FUZNETSOVA, A.K.

Determination of zinc and nickel ions in an electrolytic bath of
nickel black. Trudy LTI no.48:169-174 '58. (MIRA 15:4)
(Zinc--Analysis) (Nickel--Analysis)

EFROS, S.M.; BOYCHINOVA, Ye.S.; GORFUNKEL', Yu.M.

Complexometric determination of copper and zinc ions present together.
Trudy LTI no.48:175-178 '58. (MIRA 15:4)
(Copper--Analysis) (Zinc--Analysis) (Complexons)

EFROS, S.M.

Detection of cadmium ions in the mixture of cations of the IVth
analytical group. Trudy LTI no.48:187-190 '58. (MIRA 15:4)
(Cadmium--Analysis) (Metals--Analysis)

BOYCHINOVA, Ye.S., EFROS, S.M., NEMIROVSKIY, V.D.

Volumetric determination of small quantities of oxygen. Trudy LTI
no.58:31-35 '59. (MIRA 13:7)

1. Leningradskiy tekhnologicheskii institut im. Lensoвета.
(Oxygen--Analysis)

KOROL'KOV, I.I.; ZAYTSEV, B.M. [deceased]; SHARKOV, V.I.; VAYNER, A.S.; EFROS, I.N.; EFROS, V.A.; BUBNOVA, N.I.

Percolation hydrolysis with a variable flow of liquid. Gidroliz.
i lesokhim.prom. 14 no.2:10-14 '61. (MIRA 14:3)

1. Nauchno-issledovatel'skiy institut gidroliznoy i sul'fitno-spirovoy promyshlennosti (for Korol'kov, Zaytsev, Sharkov, Vayner).
2. Segezhskiy gidroliznyy zavod (for I. Efros, V. Efros, Bubnova).
(Hydrolysis) (Percolation) (Wood-chemistry)

EFROS, V.B.

Oiling crown and draft gear spindles on spinning machines by
means of a centralized lubricating system. Obn.tekh.oyt.
[MLP] no.16:66-68 '56. (MIRA 11:11)
(Spinning machinery--Lubrication)

ABRAMOV, Ye.I.; YEROKHIN, M.G.; ~~EZROS, V.V.~~; SARKISYANTS, Ye.A., redaktor;
PMSTRYAKOV, A.I., redaktor; GOR'KOVA, Z.D., tekhnicheskii redaktor

[Disassembling and assembling the DT-24 tractor] Razborka i sborka
traktora DT-24. Pod red. E.A.Sarkisiantsa. Moskva, Gos.izd-vo
sel'khoz.lit-ry, 1957. 291 p. (MLBA 10:10)
(Tractors)

EFROS, V.V.; KUPERSHIMDT, B.L.; PETROV, G.S.; TARASOV, Yu.N.

Investigation of the D-24 engine provided with an electric starter.
Avt. i trakt. prom. no.2:7-10 F '57. (MLRA 10:3)

1. Vladimirskiy traktornyy zavod.
(Automobiles--Engines)

LEBEDEV, V.S.; STOLBOV, M.S.; EFROS, V.V.

New tractor "Vladimirets T-28." Trakt. i sel'khoz mash. 8:7-12
Ag '58. (MIRA 11:8)

1. Valdimirskiy traktorny zavod im. A.A. Zhdanova.
(Tractors)

KUPERSHMIT, V.L.; EFROS, V.V.

Using liquefied oils in tractor diesel engines. Trakt. i
sel'khoz mash. 8:13-16 Ag '58. (MIRA 11:8)

1. OGK Vladimirovskogo traktornogo zavoda.
(Tractors--Engines) (Diesel fuels)

EFROS, V.V.; EYDEL'MAN, Ya.L.

Effect of regulated parameters of the fuel system on the performance
of D-28 engines. Trakt. i sel'khoz mash. no.12:10-12 D '59.

(MIRA 13:3)

(Diesel engines)

YEROKHIN, Nikolay Georgiyevich; KUPERSHMIT, V.L.; EFROS, V.V.;
PESTRIYAKOV, A.I., red.; ZUBRILINA, Z.P., tekhn.red.

[Handbook for "Universal" DT-24, T-28, T-28M tractors]
Spravochnik po traktoram "Universal" DT-24, T-28, T-28M.
Moskva, Gos.isd-vo sel'khoz.lit-ry, 1960. 215 p.

(MIRA 13:12)

(Tractors)

YEROKHIN, N.G.; MARTYNOV, D.I.; POLETAYEV, V.F.; ~~EFROS, V.V.;~~
BANNIKOV, S.A.; PESTRYAKOV, A.I., red.; ~~DEYEVA, V.M.,~~
tekhn. red.

[Modernized T-28 row-crop tractors] Modernizirovannye propashnye traktory T-28. Moskva, Izd-vo sel'khoz. lit-ry, zhurnalov i plakatov, 1961. 279 p. (MIRA 15:2)
(Tractors)

EFROS, V.V.; KATOL'NIK, V.M.; STOLBOV, M.S.

Studying of the cooling system of the D37M engine. Trakt.1
sel'khoz mash. 32 no.4:8-12 Ap '62. (MIRA 15:4)

1. Vladimirskiy traktorny zavod.
(Tractors--Engines)

EFROS, V.V., inzh.; CHIRIK, P.I., inzh.

Effect of the degree of compression on the indices of an engine with volumetric film carburation in an open chamber. Trakt. 1 sel'khoz mash. 33 no.3:6-8 Mr '63. (MIRA 16:11)

1. Vladimirskiy traktorny zavod.

MIRONOV, A.P., kand. tekhn. nauk; EFROS, V.V., inzh.

Effect of the parameters of the injector spray tip on the indices
of the D37M engine. Trakt. i sel'khoz mash. 33 no.6:20-22 Je '63.
(MIRA 16:7)

1. Gosudarstvennyy soyuznyy nauchno-issledovatel'skiy traktorny
institut (for Mironov). 2. Vladimirskiy traktorny zavod (for
Efros)

(Tractors—Fuel systems)

EFROS, V.V., inzh.

Effect of the speed of the movement of air charge in the
combustion chamber on the indices of the DZ7M diesel engine.
Trakt. i sel'khoz mash. 33 no.10:4-7 0 '63. (MIRA 17:1)

1. Vladimirskiy traktorny zavod.

EFROS, V.V.

Effect of forms and sizes of a combustion chamber on the intensity
of movement of the air charge. Trakt. i sel'khozmasb. no.18:8-11
D '64 (MIRA 18:2)

1. Vladimirskiy traktorny zavod imeni A.A. Zhdanova.

EFBUS, I.

Introducing industrial building methods into construction. Stroitel'
no.9:3-5 S '60. (MIRA 13:9)

1. Glavnyy inzhener tresta Mosoblstroy No.9.
(Moscow Province--Precast concrete construction)

IFRUS, M.

Simplify financial planning in scientific research institutions. Fin. SSR 16 no.6:63-64 Je '55. (MLRA 8:6)
(Research--Finance)

EFRUS. M.

Finance agricultural scientific institutions in the new way.
Fin.SSSR 20 no.2:31-35 F '59. (MIRA 12:4)
(Agricultural research--Finance)

EFRUSI, B.

"Transplantation in Drosophila", (p. 357) by Biedl, G.; and Efrusi, B.

SO: Advances in Contemporary Biology(USPEKHI SOVREMENNOI BIOLOGII) Vol. V, No. 2 1936

REFRUSI, D.S.

Nuclear and cytoplasmic heredity. Izv.AN SSSR.Ser.biol. no.3:
359-367 My-Je '59. (MIRA 12:9)

1. Laboratory of Physiological Genetics, National Center of
Scientific Research, Juif-sur-Ivette, France.
(HEREDITY)

Name: EFRUSSI, M. M.

Author of booklet, "Home-made Pickup", which is part of the series, "Radio Amateur Aids". The booklet contains the principles, construction and operation of an home-made pickup. Primarily written for radio amateurs.

REF: R. F. #7, p.63, 1938

EFRUSSI, M.

PA 157T105

USSR/Radio - Hearing Aids

Apr 50

"Hearing-Aid Devices," M. Efrussi, 4 pp

"Radio" No 4

Hearing aids are of two types: (1) microtelephone hearing devices and (2) vacuum-tube hearing devices. Explains principle of (1). Example of (2) is the LAB-8, three-tube, battery-fed set made by Moscow Hearing Device Factory. Describes construction with circuit diagram and photographs.

157T105

EFRUSSI, M.

PA 190T107

USSR/Radio - Voltage Regulation

Jun 51

"The Stabilivolt," M. Efrussi

"Radio" No 6, pp 55-59

Describes gas-filled voltage regulator tubes with activated iron or nickel electrodes. Tube types mentioned: SG-226, the SG28 (7585-30), and SG48 (15085-30).

✓
190T107

EFRUSST, M.

PA 195T102

USSR/Radio - Tubes
Voltage Regulators

Sep 51

"The Use of Gaseous Voltage Regulator Tubes,"
M. Efrussi

"Radio" No 9, pp 49-51

Describes several methods of connecting voltage regulator tubes in circuits for supplying stabilized voltage for the frequency converter of a heterodyne receiver, for the screen-grid circuits of rf and i-f amplifiers, for the master oscillator of a low-powered transmitter, etc. Includes table of general data on VR tubes of Soviet manuf.

195T102

BRUSSII, E. E.

Gaseous voltage stabilizers. Moskva, Gos. energ. izd-vo, 1962. 31 p. (Massovsia
radiobiblioteka, vyr. 147) (54-17510)

TK2851.E4

EFRUSSI, M. M.

"Automatic Regulation of the Tuning Zone," Radio No.2, 1952

1. YEFRUSSI, M. ; DOL'NIK, A.
 2. USSR (600)
 4. Commutation (Electricity)
 7. Automatic commutator for automatic transformer.
Radio. No. 10. 1952.
9. Monthly List of Russian Accessions, Library of Congress, January 1953. Unclassified.

YEFRUSSI, M.

Voltmeter

Simple voltmeter. Radio 29 no. 3, 1952.

9. Monthly List of Russian Accessions, Library of Congress, June ⁵²~~1953~~, Unclassified.

EFRUSSE, M. M.

USSR/Engineering - Soundproof Material 21 Jan 52
Physics - Acoustics

"Measurement of Sound-Absorbing Materials in
Reverberation Chamber," B. D. Tartakovsky, M. M.
Efrussi, Phys Inst Imeni Lebedev, Acad Sci USSR

"Dokl Ak Nauk SSSR" Vol LXXXII, No 3, pp 373-376

The importance of the reverberation method of
measuring coeffs of sound-absorption has been noted
frequently (M. M. Andreyev, "Trudy Akusticheskoy
Komissii, Sbornik" 3, 9, 1939); and the method
has been long in practical application (M. E.
Mikhlyeva, "Trudy Nauchno-Issledovatel'skiy

211755

Institut Fizicheskikh i Khimicheskikh Issledovaniy"
(Works of Sci Res Inst of Phys and Chem Res) 6,
173, 1937). It has been but little studied, however,
and has been limited mainly to clarifying the role
of boundary effects (G. A. Gol'dberg, "Trudy
Akusticheskoy Komissii, Sbornik" 3, 33, 1939).
Gives the results of special investigations of
the reverberation method at the acoustic laboratory
of the Phys Inst. Submitted by Acad M. A.
Leonovich 28 Feb 51. Thanks M. M. Andreyev.

211755

EFRUSSI, M. M.

Dol'nik, A. G., and Efrussi, M. M., "An Automatic Voltage Regulator, "
Moscow and Leningrad, Gosenergoizdat, 1953, 16 pages (Mass Radio-
Broadcast, No. 186).

KFRUSSI, M.M.; MALININ, R.M., redaktor; SKVORTSOV, I.M., tekhnicheskii
redaktor

[Hearing aids] Slukhovye apparaty. Moskva, Gos. energ. izd-vo,
1953. 47 p. (Massovaya radiobiblioteka, no. 191) (MLRA 7:7)
(Hearing aids)

EFRUSSI, M. M.

"A Rectifier for Hearing Aids," Radio No.1, p. 52, 1953

Describes a rectifier used to supply hearing aids type IAB-7, IAB-8, Zvuk, Sonotone No.531, and Zenith A3A from the line in order to conserve batteries. The unit consists of a selenium rectifier and filters for plate and filament voltages. The rectifier provides a plate voltage of 45 v at 2 ma and a filament voltage of 1.35 v at 75 ma. It draws 150-160 ma from the line. 253T83

EFRUSI, M.M.

DEMIDOV, P.A. (Moscow); EFRUSI, M.M. (Moscow).

Basic principles in the use of hearing aids. Vest.oto-rin.15
no.6:10-13 N-D '53. (MLRA 7:1)
(Hearing aids, Mechanical)

EFRUSSI, M. M.

Stupenchatyy regulator napryazheniya /Step-Voltage Regulator/, A. G. Dol'nik and M. M. Efrussi, compilers (from the series: "Massovaya radiobiblioteka" /Radio Library for the Masses/), illustrated, Gosenergoizdat, 1 sheet, 15,000 copies

This brochure describes one of the exhibits of the Tenth All-Union Exposition of Creative Activity of Radio-Amateur Designers, an automatic voltage regulator (automatic switch for the sections of autotransformer windings), designed to maintain a constant input voltage to a radio receiver or television set from the house current.

Intended for the radio-amateur designer.

SO: U-6472, 23 Nov 1954

FRUSSI, M.

Attachment to a radio receiver for the hard of hearing. Radio
no. 7:52 J1 '54. (MIRA 7:7)
(Radio--Receivers and reception) (Hearing aids, Mechanical)

EFRUSSI, M.M.:

POLAND

Hearing Aids. Warsaw, Panstwowe Wydawnictwa Techniczne, 1955.

48 pp., 36 drawings, 2,137 copies printed.

EFRUSSI, M.M.(Moskva)

Testing hearing through speech audiometry. Vest. oto-rin. 17 no.5:9-13
S-O '55. (MIRA 9:2)

(AUDIOMETRY,
vocal)

EFRUSSI, M.

"Importance of Electro-Acoustical Apparatus," Meditsinskiy Rabotnik, Vol 18,
1955, p 4.

Translation M-570, 28 Jun 55

107-57-2-43/56

AUTHOR: Efrussi, M. (Moscow)

TITLE: Vibration Damping in Electroacoustics
(Vibrodempfirovaniye v elektroakustike)

PERIODICAL: Radio, 1957, Nr 2, p 48 (USSR)

ABSTRACT: By coating a vibrating surface with a damping material, its damping decrement can be considerably increased, and thus vibration and noise materially suppressed. Straightening the frequency response of a loudspeaker, particularly at higher frequencies, can be achieved by coating its diffuser with a damping layer. Frequency response of a Lorenz loudspeaker, with and without the damping coating, is presented in the article. The author suggests making cabinets for radio receivers, radio-phonographs, and loudspeakers from boards or plywood 3- to 5-mm thick covering the cabinet with a roofing felt which has very high acoustic internal losses. Methods for pasting the felt over the plywood are also suggested.

There are 1 figure and 1 German reference in the article.

AVAILABLE: Library of Congress

Card 1/1

EFRUSSI, M. M.,

NAUMECINA, N. I., TARTAKOVSKIY, B. D., and EFRUSSI, M. M.

"Experimental Study of Some Vibration-Absorbing Materials."

paper presented at 4th All-Union Conf. on Acoustics, Moscow, 26 May - 2 Jun 58.

PHASE I BOOK EXPLOITATION

1108

Efrussi, Mikhail Mikhaylovich

Stabilizirovaniye i neonovyye lampy (Stabilivolts and Neon Lamps) Moscow, Gosenergoizdat, 1958. 63 p. (Series: Massovaya radiobiblioteka, vyp. 289) 40,000 copies printed.

Ed.: Zhuravlev, A.A.; Tech. Ed.: Medvedev, L.Ya.; Editorial Board of the Series: Berg, A.I., Burlyand, V.A., Vaneyev, V.I., Genishta, Ye.N., Dzhigit, I.S., Kanayeva, A.M., Krenkel', E.T., Kulikovskiy, A.A., Smirnov, A.D., Tarasov, F.I., Chechik, P.O., Shamshur, V.I.

PURPOSE: This booklet is intended for radio amateurs with some knowledge of radio engineering.

COVERAGE: The booklet describes the operating principle, construction and special features of gas-discharge stabilizers (stabilivolts) and neon signal lamps. The author offers a simple method of calculating basic operating data for voltage stabilizing circuits. He also describes the most common arrangements employing stabilivolts and neon lamps. No personalities are mentioned.

Card 1/2

Stabilivolts and Neon Lamps 1108

There are no references.

TABLE OF CONTENTS:

| | |
|--|----|
| Glow and Corona Discharges in Gas | 3 |
| Construction and Special Features of Stabilivolts and Neon Lamps | 9 |
| Stabilization Factor of a Circuit with a Stabilivolt | 21 |
| Regulated Rectifier | 31 |
| Automatic Switch of an Autotransformer | 43 |
| Grid Voltage Indicator | 47 |
| Pulse Generators | 48 |
| Time Relays | 51 |
| Stroboscopic Tachometer | 53 |
| Noise Generator | 57 |
| Various Applications of Gas-discharge Tubes | 58 |
| Appendix. Basic Data for Stabilivolts and Neon Lamps | 63 |

AVAILABLE: Library of Congress

Card 2/2

JP/mfd
1-23-59